

Archibald CJ, McGrath PJ, Ritvo PG, Fisk JD, Bhan V, Maxner CE, Murray TJ. Pain prevalence, severity and impact in a clinic sample of multiple sclerosis patients. *Pain*. 1994 Jul;58(1):89-93. PMID: 7970843 [PubMed - indexed for MEDLINE]

Balcer LJ. Clinical outcome measures for research in multiple sclerosis. *J Neuroophthalmol*. 2001 Dec;21(4):296-301. Review. PMID: 11756863 [PubMed - indexed for MEDLINE]

Cohen JA, Cutter GR, Fischer JS, Goodman AD, Heidenreich FR, Jak AJ, Kniker JE, Kooijmans MF, Lull JM, Sandrock AW, Simon JH, Simonian NA, Whitaker JN. Use of the multiple sclerosis functional composite as an outcome measure in a phase 3 clinical trial. *Arch Neurol*. 2001 Jun;58(6):961-7. PMID: 11405811 [PubMed - indexed for MEDLINE]

Cohen JA, Fischer JS, Bolibrush DM, Jak AJ, Kniker JE, Mertz LA, Skaramagas TT, Cutter GR. Intrarater and interrater reliability of the MS functional composite outcome measure. *Neurology*. 2000 Feb 22;54(4):802-6. PMID: 10690966 [PubMed - indexed for MEDLINE]

Coulthard-Morris L. Clinical and rehabilitation outcome measures. In Burks JS, Johnson KP. eds. *Multiple sclerosis: diagnosis, medical management, and rehabilitation*. New York: Demos Medical Publishing; 2000:221-290.

Cutter GR, Baier ML, Rudick RA, Cookfair DL, Fischer JS, Petkau J, Syndulko K, Weinshenker BG, Antel JP, Confavreux C, Ellison GW, Lublin F, Miller AE, Rao SM, Reingold S, Thompson A, Willoughby E. Development of a multiple sclerosis functional composite as a clinical trial outcome measure. *Brain*. 1999 May;122 (Pt 5):871-82. PMID: 10355672 [PubMed - indexed for MEDLINE]

Cutter GR. Clinical outcomes assessment in multiple sclerosis: Part II. *Mult Scler*. 1996 Dec;2(5):247-8. No abstract available. PMID: 9050365 [PubMed - indexed for MEDLINE]

Fischer JS, LaRocca NG, Miller DM, Ritvo PG, Andrews H, Paty D. Recent developments in the assessment of quality of life in multiple sclerosis (MS). *Mult Scler*. 1999 Aug;5(4):251-9. Review. PMID: 10467384 [PubMed - indexed for MEDLINE]

Fisher E, Rudick RA, Cutter G, Baier M, Miller D, Weinstock-Guttman B, Mass MK, Dougherty DS, Simonian NA. Relationship between brain atrophy and disability: an 8-year follow-up study of multiple sclerosis patients.

Mult Scler. 2000 Dec;6(6):373-7. PMID: 11212131 [PubMed - indexed for MEDLINE]

Fischer JS, Rudick RA, Cutter GR, Reingold SC. The Multiple Sclerosis Functional Composite Measure (MSFC): an integrated approach to MS clinical outcome assessment. National MS Society Clinical Outcomes Assessment Task Force. Mult Scler. 1999 Aug;5(4):244-50. Review. PMID: 10467383 [PubMed - indexed for MEDLINE]

Fisk JD, Pontefract A, Ritvo PG, Archibald CJ, Murray TJ. The impact of fatigue on patients with multiple sclerosis. Can J Neurol Sci. 1994a Feb;21(1):9-14. PMID: 8180914 [PubMed - indexed for MEDLINE]

Fisk JD, Ritvo PG, Ross L, Haase DA, Marrie TJ, Schlech WF. Measuring the functional impact of fatigue: initial validation of the fatigue impact scale. Clin Infect Dis. 1994b Jan;18 Suppl 1:S79-83. PMID: 8148458 [PubMed - indexed for MEDLINE]

Goodkin DE, Cookfair D, Wende K, Bourdette D, Pullicino P, Scherokman B, Whitham R. Inter- and intrarater scoring agreement using grades 1.0 to 3.5 of the Kurtzke Expanded Disability Status Scale (EDSS). Multiple Sclerosis Collaborative Research Group. Neurology. 1992 Apr;42(4):859-63. PMID: 1565242 [PubMed - indexed for MEDLINE]

Gronwall DM. Paced auditory serial-addition task: a measure of recovery from concussion. Percept Mot Skills. 1977 Apr;44(2):367-73. PMID: 866038 [PubMed - indexed for MEDLINE]

Haber A, LaRocca NG. eds. Minimal Record of Disability for multiple sclerosis. New York: National Multiple Sclerosis Society; 1985.

Hauser SL, Dawson DM, Lehrich JR, Beal MF, Kevy SV, Propper RD, Mills JA, Weiner HL. Intensive immunosuppression in progressive multiple sclerosis. A randomized, three-arm study of high-dose intravenous cyclophosphamide, plasma exchange, and ACTH. N Engl J Med. 1983 Jan 27;308(4):173-80. PMID: 6294517 [PubMed - indexed for MEDLINE]

Hermann BP, Vickrey B, Hays RD, Cramer J, Devinsky O, Meador K, Perrine K, Myers LW, Ellison GW. A comparison of health-related quality of life in patients with epilepsy, diabetes and multiple sclerosis. Epilepsy Res. 1996 Oct;25(2):113-8. PMID: 8884169 [PubMed - indexed for MEDLINE]

Hoogervorst EL, van Winsen LM, Eikelenboom MJ, Kalkers NF, Uitdehaag BM, Polman CH. Comparisons of patient self-report, neurologic examination,

and functional impairment in MS. *Neurology*. 2001 Apr 10;56(7):934-7.
PMID: 11294932 [PubMed - indexed for MEDLINE]

Hoogervorst EL, Kalkers NF, van Wingen LML, Uitdehaag BM, Polman CH. Differential treatment effect on measures of neurologic exam, functional impairment and patient self-report in multiple sclerosis. *Mult Scler*. 2001 Oct;7(5):335-9. PMID: 11724450 [PubMed - indexed for MEDLINE]

Hoogervorst EL, Kalkers NF, Uitdehaag BM, Polman CH. A study validating changes in the multiple sclerosis functional composite. *Arch Neurol*. 2002 Jan;59(1):113-6. PMID: 11790238 [PubMed - indexed for MEDLINE]

Hohol MJ, Orav EJ, Weiner HL. Disease steps in multiple sclerosis: a longitudinal study comparing disease steps and EDSS to evaluate disease progression. *Mult Scler*. 1995 Oct;5(5):349-54. PMID: 10516779 [PubMed - indexed for MEDLINE]

Kalkers NF, Bergers L, de Groot V, Lazeron RH, van Walderveen MA, Uitdehaag BM, Polman CH, Barkhof F. Concurrent validity of the MS Functional Composite using MRI as a biological disease marker. *Neurology*. 2001 Jan 23;56(2):215-9. PMID: 11160958 [PubMed - indexed for MEDLINE]

Kalkers NF, de Groot V, Lazeron RH, Killestein J, Ader HJ, Barkhof F, Lankhorst GJ, Polman CH. MS functional composite: relation to disease phenotype and disability strata. *Neurology*. 2000 Mar 28;54(6):1233-9. PMID: 10746590 [PubMed - indexed for MEDLINE]

Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). *Neurology*. 1983 Nov;33(11):1444-52.
PMID: 6685237 [PubMed - indexed for MEDLINE]

Miller DM, Rudick RA, Cutter G, Baier M, Fischer JS. Clinical significance of the multiple sclerosis functional composite: relationship to patient-reported quality of life. *Arch Neurol*. 2000 Sep;57(9):1319-24. PMID: 10987899 [PubMed - indexed for MEDLINE]

Nowinski JK, LoPiccolo J. Assessing sexual behavior in couples. *J Sex Marital Ther*. 1979 Fall;5(3):225-43. PMID: 513143 [PubMed - indexed for MEDLINE]

Patzold T, Schwengelbeck M, Ossege LM, Malin JP, Sindern E. Changes of the MS functional composite and EDSS during and after treatment of relapses with methylprednisolone in patients with multiple sclerosis. *Acta Neurol*

Scand. 2002 Mar;105(3):164-8.PMID: 11886358 [PubMed - indexed for MEDLINE]

Rao SM, Leo GJ, Haughton VM, St Aubin-Faubert P, Bernardin L. Correlation of magnetic resonance imaging with neuropsychological testing in multiple sclerosis.Neurology. 1989 Feb;39(2 Pt 1):161-6.PMID: 2915783 [PubMed - indexed for MEDLINE]

Rudick R, Antel J, Confavreux C, Cutter G, Ellison G, Fischer J, Lublin F, Miller A, Petkau J, Rao S, Reingold S, Syndulko K, Thompson A, Wallenberg J, Weinshenker B, Willoughby E. Recommendations from the National Multiple Sclerosis Society Clinical Outcomes Assessment Task Force. Ann Neurol. 1997 Sep;42(3):379-82. PMID: 9307263 [PubMed - indexed for MEDLINE]

Rudick R, Antel J, Confavreux C, Cutter G, Ellison G, Fischer J, Lublin F, Miller A, Petkau J, Rao S, Reingold S, Syndulko K, Thompson A, Wallenberg J, Weinshenker B, Willoughby E. Clinical outcomes assessment in multiple sclerosis. Ann Neurol. 1996 Sep;40(3):469-79. Review. PMID: 8797541 [PubMed - indexed for MEDLINE]

Rudick RA, Cutter G, Baier M, Fisher E, Dougherty D, Weinstock-Guttman B, Mass MK, Miller D, Simonian NA. Use of the Multiple Sclerosis Functional Composite to predict disability in relapsing MS. Neurology. 2001 May 22;56(10):1324-30. PMID: 11376182 [PubMed - indexed for MEDLINE]

Sharrack B, Hughes RA. The Guy's Neurological Disability Scale (GNDS): a new disability measure for multiple sclerosis.Mult Scler. 1999 Aug;5(4):223-33.PMID: 10467380 [PubMed - indexed for MEDLINE]

Sharrack B, Hughes RA, Soudain S, Dunn G. The psychometric properties of clinical rating scales used in multiple sclerosis.Brain. 1999 Jan;122 (Pt 1):141-59.PMID: 10050902 [PubMed - indexed for MEDLINE]

Sharrack B, Hughes RA. Clinical scales for multiple sclerosis. J Neurol Sci. 1996 Jan;135(1):1-9. Review.PMID: 8926489 [PubMed - indexed for MEDLINE]

Sherbourne CD, Stewart AL. The MOS social support survey.Soc Sci Med. 1991;32(6):705-14.PMID: 2035047 [PubMed - indexed for MEDLINE]

Stewart AL, Hays RD, Ware JE Jr. The MOS short-form general health survey. Reliability and validity in a patient population.Med Care. 1988 Jul;26(7):724-35. No abstract available.PMID: 3393032 [PubMed - indexed for MEDLINE]

Sullivan JJL, Edgley K, Dehoux E. A survey of multiple sclerosis. Part 1: perceived cognitive problems and compensatory strategy use. Canadian Journal of Rehabilitation. 1990;4:99-105.

Turnbull GK, Hoare C, Ritvo PG, Fist JD, Murray TJ. The assessment of bowel and bladder dysfunction in clinic attending MS patients. Presented at Department of Medicine Research Symposium. 1992; Dalhousie University, Halifax Nova Scotia.

Veit CT, Ware JE Jr. The structure of psychological distress and well-being in general populations. J Consult Clin Psychol. 1983 Oct;51(5):730-42. No abstract available. PMID: 6630688 [PubMed - indexed for MEDLINE]

Vickrey BG, Hays RD, Genovese BJ, Myers LW, Ellison GW. Comparison of a generic to disease-targeted health-related quality-of-life measures for multiple sclerosis. J Clin Epidemiol. 1997 May;50(5):557-69. PMID: 9180648 [PubMed - indexed for MEDLINE]

Vickrey BG, Hays RD, Harooni R, Myers LW, Ellison GW. A health-related quality of life measure for multiple sclerosis. Qual Life Res. 1995 Jun;4(3):187-206. PMID: 7613530 [PubMed - indexed for MEDLINE]

Whitaker JN, Mitchell GW, Cutter GR. Clinical outcomes and documentation of partial beneficial effects of immunotherapy for multiple sclerosis. Ann Neurol. 1995 Jan;37(1):5-6. No abstract available. PMID: 7818258 [PubMed - indexed for MEDLINE]